



# NIAGARA SINGLE PHASE MONOBLOC PUMPS



An ISO 9001 Certified Company
NIAGARA PUMPS INDIA LLP
PUMPS | MOTORS | SOLAR PUMPS | PIPES | CABLES



#### O ABOUT NIAGARA SINGLE PHASE MONOBLOC PUMPS:-

Single Phase: 0.75 - 3.7 kW / Voltage: 170 - 230 V / 50Hz

• Insulation Class: F

Outlet Size: 40mm to 100mm

MODEL NO.	HP	KW	RPM	PIPE SIZE mm	PIPE SIZE inch	h PERFORMANCES														
100	•																			
PUMP DETAILS					MTR.	6	8	10	12	14	16	18	20	22	24					
	TOWN BETALES					FEET	20	26	33	39	46	52	59	66	72	79				
NMSP15 8080		1.1KW	2800RPM	80 mm x 80 mm	3" x 3"		780	680	560	380										
NMSP15 8065	_		2800RPM	80 mm x 65 mm	3" x 2.5"		760	660	530	340										
NMSP15 6550	_		2800RPM	65 mm x 50 mm	2.5" x 2"	LPM		540	490	450	430	320								
NMSP15 5050	_		2800RPM	50 mm x 50 mm	2" x 2"			460	435	400	310	280								
NMSP15 5040	1.5HF	1.1KW	2800RPM	50 mm x 40 mm	2" x 1.5"					340	340	310	290	260	205	160				
No.																10.4				
			PUMP DET	TAILS		MTR.	6	8	10	12	14	16	18	20	22	IVI 24	26	28		
						FEET	20	26	33	39	46	52	59	66	72	79	85	92		
NMSP20 100100	2HP		2800RPM	100 mm x 100 mm	4" x 4"		1050	900	750	560										
NMSP20 8080	2HP		2800RPM	80 mm x 80 mm	3" x 3"		920	780	660	480										
NMSP20 8065	2HP	1.5KW		80 mm x 65 mm	3" x 2.5"	LPM	880	760	660	540	420				/					
NMSP20 6550	2HP	1.5KW	2800RPM	65 mm x 50 mm	2.5" x 2"				540	530	510	450	390	270	240					
NMSP20 5050	2HP	1.5KW		50 mm x 50 mm		/ /					490	440	370	280	180					
NMSP20 5040	2HP	1.5KW	2800RPM	50 mm x 40 mm	2" x 1.5"	_						380	360	340	310	270	230	180		
			PUMP DET	TAILS		MTR.	6	8	10	12	14	16	18	20	22	24	26	28	30	34
	1	I a a.m				FEET	20	26	33	39	46	52	59	66	72	79	85	92	98	112
NMSP30 100100			2800RPM	100 mm x 100 mm	4" x 4"		1350	1180	1020	770	330									
NMSP30 8065	3HP		2800RPM	80 mm x 65 mm	3" x 2.5"	1004	870	830	730	680	640	520	420	F 40	400	250	200			
NMSP30 6550	3HP	2.2KW		65 mm x 50 mm	2.5" x 2"	LPM						630	590	540	480	350	300	200	240	220
NMSP30 6550 A	3HP	2.2KW	2800RPM	65 mm x 50 mm A	2.5" x 2" A							520	520	510	510	480	430	390	340	220
NMSP30 5040	3HP	2.2KW	2800RPM	50 mm x 40 mm	2" x 1.5"								420	420	410	400	370	340	310	210
						MTR.	8	12	14	16	18	20	22	24	I		1	1		
			PUMP DET	TAILS	ŀ	FEET	26	39	46	52	18 59	66	72	79						
NMSP50 10080	5HP	2 71/1/	2800RPM	100 mm x 80 mm	4" x 3"	FEET	1320	1250	980	800	29	00	/2	79						
NMSP50 8065	5HP		2800RPM		3" x 2.5"	LPM	1320	1250	980	730	700	570	430	375						
INIVISADO 9002	JOHP	3./KW	ZOUURPIVI	00 IIIII X 03 mm	3 x 2.3					/30	700	3/0	430	3/3						
					1	MTR.	20	22	24	26	28	30	32	34	36	38	40	44	48	52
			PUMP DET	TAILS	}	FEET.	66	72	79	85	92	98	105	112	118	125	131	144	157	171
NMSP50 6550	5HP	3 7KW	2800RPM	65 mm x 50 mm	2.5" x 2"	FEET	810	790	740	680	600	540	450	350	110	123	131	144	13/	1/1
NMSP50 6550 HF	_		2800RPM	ALCONOMICS TO TO THE PARTY OF T	2.5" x 2" HH	LPM	610	580	560	540	510	480	440	400	350	300				
NIMEDEO EOAO			20000000		2.3 X 2 HH	L1 141		300	500	340	310	400	440	200	350	300	250	220	100	110







# NIAGARA THREE PHASE "A" CLASS PREMIUM SERIES MONOBLOC PUMPS



An ISO 9001 Certified Company
NIAGARA PUMPS INDIA LLP
PUMPS | MOTORS | SOLAR PUMPS | PIPES | CABLES



#### O ABOUT NIAGARA THREE PHASE "A" CLASS PREMIUM SERIES MONOBLOC PUMPS:-

Three Phase: 2.2 - 15 kW / Voltage: 280 - 415 V / 50Hz

• Insulation Class: F

Out let Size: 50mm to 100mm

• With Cast Iron Fan Cover & Aluminum Fan

• Special for Agriculture Purpose

MODEL NO.	HP	ĸw	RPM	PIPE SIZE mm	PIPE SIZE inch	h PERFORMANCES														
The state men																				
PUMP DETAILS					MTR.	8	10	12	14	16	18	20	22	24	26	30	32	34	38	
						FEET	26	33	39	46	52	59	66	72	79	85	98	105	112	125
NMTP30CI 100100	3HP		2900RPM	100 mm x 100 mm	4" x 4"	LPM	1200	1020	770	330										
NMTP30CI 8065 NMTP30CI 6550	3HP		2900RPM 2900RPM	80 mm x 65 mm	3" x 2.5"		1000	920	850 680	750 660	630 620	590	530	460						
NMTP30CI 6550 HH	3HP 3HP		2900RPM	65 mm x 50 mm 65 mm x 50 mm HH	2.5" x 2" 2.5" x 2" HH	LPIVI			680	760	730	710	680	650	660	540				_
NMTP30CI 6550 HD	3HP		2900RPM	65 mm x 50 mm	2.5" x 2"	-			760	730	680	640	580	540	000	340				
INVITE SOCI 0530 TID	Jili	2.21(44	23001(1111	OJ IIIII OC X IIIIII	2.5 12				700	730	000	040	360	340						
						MTR.	14	16	20	24	28	32	36	40						
			PUMP DET	AILS		FEET	46	52	66	79	92	105	118	131	Т	N/I				
NMTP50CI 8065	5HP	3.7KW	2900RPM	80 mm x 65 mm	3" x 2.5"	LPM	840	780	640	420						101				
NMTP50CI 6550	5HP	3.7KW	2900RPM	65 mm x 50 mm	2.5" x 2"	CFIVI				550	530	520	500	360						
			PUMP DET	AILS		MTR.	8	10	12	14	16	20	24	28	32	36	40	44		
					(i) (ii)	FEET	26	33	39	46	52	66	79	92	105	118	131	144		
NMTP50CI 100100	5HP		2900RPM	100 mm x 100 mm	4" x 4"		1750	1560	1440	1140	800	1020	720			_				
NMTP50CI 8065 HD NMTP50CI 6550 HD	5HP 5HP	3.7KW 3.7KW	2900RPM 2900RPM	80 mm x 65 mm 65 mm x 50 mm-30	3" x 2.5" 2.5" x 2" HH-30	LPM				1140	1100 890	10 <b>20</b> 840	720 770	660		_				
NMTP50CI 6550 HD			2900RPM	65 mm x 50 mm-30	2.5" x 2" HH-30						UEO	040	750	740	690	590	460	290		$\overline{}$
MM11-20CI 0220 HH	SITE	3.7644	2300KF IVI	65 mm x 504mm 45	2.3 12 1111-43	P	UM	PS	TH	E	MA	RT	730	740	030	330	400	230		
			D11845 - :			MTR.	16	18	20	22	24	26	28	30	32	34	36	38		
			PUMP DET	AILS		FEET	52	59	66	72	79	85	92	98	105	112	118	125		
NMTP75CI 100100	7.5HP	5.5KW	2900RPM	100 mm x 100 mm	4" x 4"		1400	1280	1200	1050	760									
NMTP75CI 10080	7.5HP	5.5KW	2900RPM	100 mm x 80 mm	4" x 3"	LPM	1360	1250	1170	1020	740									
NMTP75CI 8065	7.5HP	5.5KW	2900RPM	80 mm x 65 mm	3" x 2.5"					1080	1030	990	640	870	800	720	610	420		
PUMP DETAILS			MTR.	36	38	40	42	44	46	48	50	52	54	56	58					
	Lacus	E 5101/	200000011	cc	251 2111152	FEET	118	125	131	138	144	151	157	164	171	177	184	190		
NMTP75CI 6550				65 mm x 50 mm HH-50 65 mm x 50 mm HH-60		LPM	740	730	730 660	720 630	720 620	710 610	710 610	660 600	600	580	540	500		
NIVITP/3CI 6550 HH	7.5HP	3.36.00	2900KPIVI	טס-חח וווווו עכ א וווווו פס	2.5 X2 NN-60				000	030	620	910	610	600	600	380	540	300		
			MTR.	22	26	30	32	34	42	46	48									
			PUMP DET	AILS		FEET	72	85	98	105	112	138	151	157						
NMTP10CI 100100	10HP	7.5KW	2900RPM	100 mm x 100 mm	4" x 4"		1840	1640	1370	1190	710									
NMTP10CI 10080	10HP	7.5KW	2900RPM	100 mm x 80 mm	4" x 3"	LPM	1810	1610	1350	1170	700									
NMTP10CI 8065	10HP	7.5KW	2900RPM	80 mm x 65 mm	3" x 2.5"					830	820	710	480	450						
			PUMP DET	AILS		MTR.	38	42	46	48	52	56	60	64	68	72				
	I down	· · · ·	200000011	cc	0.511 011.111.70	FEET	125	138	151	157	171	184	197	210	223	236				
NMTP10CI 6550 HH NMTP10CI 6550 MH				65 mm x 50 mm HH-72 65 mm x 50 mm HH-64		LPM				610 650	600 640	590 610	585 480	585 200	570	460				
NMTP10CI 6550 MH				65 mm x 50 mm HH-64		LPIVI	910	900	880	820	770	610	480	200						
MINITETOCI 0330	10116	VANC.	2JUUNF IVI	05 min x 30 min nn-34	2.3 XZ IIII-34		310	300	880	020	770									
						MTR.	24	28	32	36	38	40	46	48	50	56	58	62	74	76
			PUMP DET	AILS		FEET	79	92	105	118	125	131	151	157	164	184	190	203	243	249
NMTP12CI 10080	12.5HP	9.3KW	2900RPM	100 mm x 80 mm	4" x 3"		1720	1540	1240	900	660									
NMTP12CI 8065	12.5HP		2900RPM	80 mm x 65 mm	3" x 2.5"	LPM				1300	1290	1280	1200	1090						
NMTP12CI 6550				65 mm x 50 mm HH-58		LF IVI								840	820	780	630			
NMTP12CI 6550 HH	12.5HP	9.3KW	2900RPM	65 mm x 50 mm HH-76	2.5" x 2" HH-76											680	680	670	320	270
									2- 1		2-									70
			PUMP DET	AILS		MTR.	24	28	32	36 118	38	40	46	48 157	50 164	56 184	58 190	62 203	66 216	70
NMTP15CI 10080	15HP	11KW	2900RPM	100 mm x 80 mm	4" x 3"	FEET	79 1900	92 1830	105 1750	118 1600	125 1480	131 1380	151	15/	164	184	190	203	216	230
NMTP15CI 10080	15HP		2900RPM	80 mm x 65 mm	3" x 2.5"	LPM	1900	1030	1/30	1360	1340	1330	1260	1200	1120					
NMTP15CI 6550	15HP		2900RPM	65 mm x 50 mm	2.5" x 2"					1500	1540	1000	1200	1050	1040	990	960	940	890	860
256. 5550	25			23 mm x 30 mm	2.5 2									1000	20.0	550	500	5.0	050	000
			PUMP DETA	All C		MTR.	32	36	38	40	46	48	50	56	58	66	74	82	86	90
			PUIVIP DE I	AILO		FEET														
NMTP20CI 10080			2900RPM		4" x 3"		1940	1900	1840	1780	1540	1420	1140							
NMTP20CI 6550	20HP			65 mm x 50 mm HH-80		LPM							910	870	850	800	720			
NMTP20CI 6550 HH	20HP	15KW	2900RPM	65 mm x 50 mm HH-90	2.5" x 2" HH-90										600	570	540	510	500	420







# NIAGARA THREE PHASE "A" CLASS SLOW SPEED MONOBLOC PUMPS



An ISO 9001 Certified Company
NIAGARA PUMPS INDIA LLP
PUMPS | MOTORS | SOLAR PUMPS | PIPES | CABLES



#### O ABOUT NIAGARA THREE PHASE "A" CLASS SLOW SPEED MONOBLOC PUMPS:-

Three Phase: 1.5 - 7.5 kW in 2 pole (1440 RPM) / Voltage: 280 - 415 V / 50Hz

• Insulation Class: F

Out let Size: 50mm to 150mm

• Special for Industrial & Agriculture Purpose with High Discharge

MODEL NO. HP KW RPM PIPE SIZE mm	PIPE SIZE inch	performances														
MODEL NO. THE RAW REIN FIFE SIZE HIIII	FIFE SIZE IIICII	FER ORWANCES														
			_		72											
PUMP DETAILS		MTR.	7	8	9	10	11	13	14	15						
Tom Bernies	FEET	23	26	30	33	36	43	46	49	0	0	0	0	0	0	
NMTP20LS 8080 2HP 1.5KW 1450RPM 80 mm x 80 mm	3" x 3"	LPM	990	930	860	780	670									
NMTP20LS 6550   2HP   1.5KW   1450RPM   65 mm x 50 mm	2.5" x 2"	LITTE				720	650	600	550	460						
											T	1\/				
DUMAD DETAILS		MTR.	7	8	9	10	11	16	18			101				
PUMP DETAILS	FEET	23	26	30	33	36	52	59	0	0	0	0	0	0	0	
NMTP30LS 100100 3HP 2.2KW 1450RPM 100 mm x 100 mm	4" x 4"	LPM	1690	1580	1370	1150	900									
NMTP30LS 6550 3HP 2.2KW 1450RPM 65 mm x 50 mm	2.5" x 2"	LPIVI	AV			700		480	270							
PUMP DETAILS			10	11	12	13	14	15								
			33	36	39	43	46	49	0	0	0	0	0	0	0	0
NMTP50LS 100100 5HP 3.7KW 1450RPM 100 mm x 100 mm	4" x 4"	LPM	1670	1590	1480	1330	1150	940								
					7.5		= N4 4	DT			7					
PUMP DETAILS		MTR.	7	8	9	10	12	14	16	18						
POWIP DETAILS		FEET	23	26	30	33	39	46	52	59	0	0	0	0	0	0
NMTP75LS 150150 7.5HP 5.5KW 1450RPM 150 mm x 150 mm	6" x 6"	LPM	3300	2900	2200	1250										
NMTP75LS 100100 7.5HP 5.5KW 1450RPM 100 mm x 100 mm	4" x 4"	LFIVI				2010	1860	1690	1440	1110						
PUMP DETAILS		MTR.	7	9	11	12	13	14	16	18						
POWIP DETAILS	FEET	23	30	36	39	43	46	52	59	0	0	0	0	0	0	
NMTP10LS 150150 10HP 7.5KW 1450RPM 150 mm x 150 mm	6" x 6"	LPM	3800	3150	2900	2300	1500									
NMTP10LS 100100 10HP 7.5KW 1450RPM 100 mm x 100 mm	4" x 4"	LF IVI			2080	1980	1880	1780	1580	1260						







# NIAGARA THREE PHASE "B" CLASS CLASSIC SERIES MONOBLOC PUMPS



An ISO 9001 Certified Company
NIAGARA PUMPS INDIA LLP
PUMPS | MOTORS | SOLAR PUMPS | PIPES | CABLES



### O ABOUT NIAGARA THREE PHASE "B" CLASS CLASSIC SERIES MONOBLOC PUMPS:-

- Three Phase Range: 2.2 15 kW / Voltage: 280 415 V / 50Hz
- Insulation Class: F
- Out let Size: 40mm to 100mm
- With MS Sheetmetal Fan Cover & Plastic Fan
- Special for Industrial & Agriculture Purpose

MODEL NO.   HP   KW   RPM   PIPE SIZE mm   PIPE SIZE inch	inch PERFORMANCES														
	MTR.	8	12	14	16	18	20	22	24	26	28	30	32	34	
PUMP DETAILS	FEET	26	39	46	52	59	66	72	79	85	92	98	105	112	
NMTP30 100100 3HP 2.2KW 2880RPM 100 mm x 100 mm 4" x 4"		1200	770	330					0.00						
NMTP30 8065 3HP 2.2KW 2880RPM 80 mm x 65 mm 3" x 2.5"	LPM	970	820	720	600										
NMTP30 6550 3HP 2.2KW 2880RPM 65 mm x 50 mm 2.5" x 2"			640	575	500	405	270								
NMTP30 6550 HH 3HP 2.2KW 2880RPM 65 mm x 50 mm HH 2.5" x 2" HH						470	390	360	315	205					
NMTP30 5040         3HP         2.2KW         2880RPM         50 mm x 40 mm         2" x 1.5"				-		370	360	350	350	340	340	320	280	180	
					4.0	- 10				1				-	
PUMP DETAILS	MTR. FEET	8 26	12 39	14 46	16 52	18 59	20 66	72 72	24 79						
NMTP50 100100 5HP 3.7KW 2880RPM 100 mm x 100 mm 4" x 4"	PEET	1320	1250	980	800	39	00	12	79	H T	M				
NMTP50 8080 5HP 3.7KW 2880RPM 80 mm x 80 mm 3" x 3"	LPM	1320	1160	1050	980	870	650	510			-				
NMTP50 8065 5HP 3.7KW 2880RPM 80 mm x 65 mm 3" x 2.5"	2		1100	1050	730	700	570	430	375						
												-			
PUMP DETAILS	MTR.	22	26	30	34	38	42	46	50	7					
	FEET	72	85	98	112	125	138	151	164						
NMTP50 6550 5HP 3.7KW 2880RPM 65 mm x 50 mm HH-30 2.5" x 2" HH-30		610	525	400	315										
NMTP50 6550MH 5HP 3.7KW 2880RPM 65 mm x 50 mm HH-40 2.5" x 2" HH-40	LPM		500	435	350	200									
NMTP50 6550HH 5HP 3.7KW 2880RPM 65 mm x 50 mm HH-50 2.5" x 2" HH-50					450	440	390	300	210						
			IFS		E 5	) M	KL		<u> </u>	<u> </u>			12.41		
PUMP DETAILS	MTR.	16	18	20	22	24	26	28	30	32	34	38	42	46	50
NMTP75 100100 7.5HP 5.5KW 2880RPM 100 mm x 100 mm 4" x 4"	FEET	52 1370	59	66 1170	72 1020	79 <b>730</b>	85	92	98	105	112	125	138	151	164
NMTP75 100100 7.5HP 5.5KW 2880RPM 100 mm x 100 mm 4 x 4  NMTP75 10080 7.5HP 5.5KW 2880RPM 100 mm x 80 mm 4" x 3"		1340	1250 1220	11/0	990	710									
NMTP75 8065 7.5HP 5.5KW 2880RPM 80 mm x 65 mm 3" x 2.5"	LPM	1340	1220	1030	1020	990	980	960	920	775					
NMTP75 6550 7.5HP 5.5KW 2880RPM 65 mm x 50 mm HH-40 2.5" x 2" HH-40	LFIVI			1030	1020	330	630	300	610	113	580	510	250		
NMTP75 6550 HH 7.5HP 5.5KW 2880RPM 65 mm x 50 mm HH-50 2.5" x 2" HH-50							050		010		480	470	460	450	380
DUAND DETAILS	MTR.	22	26	30	32	34	42	46	50	54	58	62			
PUMP DETAILS	FEET	72	85	98	105	112	138	151	164	177	190	203			
NMTP10 100100   10HP   7.5KW   2880RPM   100 mm x 100 mm   4" x 4"		1810	1610	1340	1160	680									
NMTP10 10080   10HP   7.5KW   2880RPM   100 mm x 80 mm   4" x 3"	LPM	1780	1580	1320	1140	670									
NMTP10 8065 10HP 7.5KW 2880RPM 80 mm x 65 mm 3" x 2.5"					800	790	675	450							
NMTP10 6550   10HP   7.5KW   2880RPM   65 mm x 50 mm   2.5" x 2"							670	655	645	630	400	200			
	MTR.	20	24	28	32	36	40	44	48	52			1	Т	
PUMP DETAILS	FEET	66	79	92	105	118	131	144	157	171					
NMTP12 100100   12.5HP   9.3KW   2880RPM   100 mm x 100 mm   4" x 4"	1001	1770	1710	1490	1220	110	131	144	137	1/1					$\overline{}$
NMTP12 10080 12.5HP 9.3KW 2880RPM 100 mm x 80 mm 3" x 2.5"	LPM	27.10	2,20	1180	1180	1170	1170	1070							
NMTP12 6550   12.5HP   9.3KW   2880RPM   65 mm x 50 mm   2.5" x 2"				990	980	940	920	900	850	730					
PUMP DETAILS	MTR.	24	28	32	36	40	44	48	52	56	60	64	68	72	76
	FEET	79	92	105	118	131	144	157	171	184	197	210	223	236	249
NMTP15 100100   15HP   11KW   2880RPM   100 mm x 100 mm   4" x 4"		1720	1540	1240	900	660	100000	10000	10.70						
NMTP15 8065 15HP 11KW 2880RPM 80 mm x 65 mm 3" x 2.5"	LPM			1285	1275	1270	1260	1200	910	740	500	500	500		
NMTP15 6550         15HP         11KW         2880RPM         65 mm x 50 mm         2.5" x 2"           NMTP15 6550 HH         15HP         11KW         2880RPM         65 mm x 50 mm         2.5" x 2" HH								720	715 660	710 650	690	690 630	590 510	420	220
NMTP15 6550 HH   15HP   11KW   2880RPM   65 mm x 50 mm HH   2.5" x 2" HH									990	טכט	650	630	210	420	230
	MTR.	28	32	36	40	44	48	52	56	60	64	68	72	76	80
PUMP DETAILS	FEET.	92	105	118	131	144	157	171	184	197	210	223	236	249	262
NMTP20 100100   20HP   15KW   2880RPM   100 mm x 100 mm   4" x 4"		1930	1730	1520	1130	700	10.		10.	20,			200	2.0	
NMTP20 8065   20HP   15KW   2880RPM   80 mm x 65 mm   3" x 2.5"	LPM		1410	1390	1380	1380	1380	1030							
NMTP20 6550   20HP   15KW   2880RPM   65 mm x 50 mm   2.5" x 2"									710	700	670	650	620	430	280
										•					